

FASHON ISN'T JUST ABOUT CLOTHES.

IT'S

IT'S THE CULTURE WE
EXPERIENCE, the places
we travel, the things we eat—
and yes, the way we design
our homes.

LIESTYLE.

For those who embrace fashion as a lifestyle, every choice they make is an opportunity to make a statement. To put their taste and perspective on display. To elevate their surroundings—and inspire those around them.

Those people aren't just wearing fashion; *they're living it.*



TABLE of CONTENTS



18 | THE NEXT LEVEL



36 | BON APPETIT & BRIZO



142 | WORLD CLASS

4 Styl	e Continuum
--------	-------------

6 Product Continuum

8 Confidence Has A Look

Art Meets Craft: Introducing the New Litze™ Bath Collection, 10 A Fitting Collaboration: Jason Wu for Brizo;™ 14

16 Luxury in Every Detail

The Next Level:

The Articulating Kitchen Faucet with SmartTouch® Technology 18 Crafted to Perfection, 20

22 Designing for the Future

Innovations for the Kitchen, 24 Innovations for the Bath, 26

28 Luxury with a Conscience

Sustainable Luxury, 30

National Sponsor of the St. Jude Dream Home® Giveaway, 32

34 Kitchen

36 Bon Appetit & Brizo

Artesso® 38

Baliza® 40

Belo,® 42

Solna, 44

Talo,® 46

Tresa® 48

Venuto, 50

Vuelo® 52

Pot Fillers, 54

Beverage Faucets, 54

56 Bath

Baliza® 58

Charlotte® 62

Litze™ (NEW), 66

Loki®70

Odin™ 74

Jason Wu for Brizo™ 78

Providence[™] 82

Quiessence,® 86

Rook™ 90

RSVP®94

Siderna,® 98

Sotria® 102

Tresa® 106

Vesi® 110

Virage® 114

118 Shower

Ultimate Serenity, 120

H_oOkinetic® Technology, 122

Choose Your Level of Luxury, 124

Pressure Balance Showers, 126

TempAssure® Thermostatic Showers, 128

TempAssure® Thermostatic Showers with Integrated Diverter, 130

Sensori® Showers, 132

Wall Mount Showerheads, 134

Ceiling Mount Raincan Showerheads, 135

Hydrati[®] 2|1 Showers, 136

Handshowers, 138

HydraChoice™ Max Body Spray System, 140

142 World Class

144 Luxury Design Projects

Style CONTINUUM

FROM STATELY TO MODERN, AND ALL THAT'S IN BETWEEN.

Brizo[®] is a luxury fittings brand for people who understand that fashion isn't just about the clothes they wear — but their entire lifestyle.

We create distinctive designs that don't just complete rooms — they inspire spaces.

And that inspiration begins right here: all Brizo collections are arranged on the style continuum, from stately to modern. So identify the look you desire and then find the Brizo collection to match.





















STATFLY

The stately style draws inspiration from classical design periods to create an authentic, heavily ornate space. Natural materials, including marble and limestone, combine with woods in deep, rich tones, such as mahogany, to ground the style with a sense of history.

TRADITIONAL

The traditional style taps into a sense of heritage and longevity, creating a comfortable, broken-in look reflective of years of use. Dark wood tones pair with matte and distressed finishes to create an aesthetic that's formal and decorative in nature, while still retaining a warm, handcrafted feel.

CASUAL

The casual style is all about timeless design. Traditional, historic or vintage styles are given a fresh look with clean lines that defy aging. A de-emphasis of decoration and ornamentation keeps the focus on the simple sophistication of the design, and creates a comfortable, relaxed atmosphere.

CONTEMPORARY

Minimalist and streamlined, the contemporary style seeks to create feelings of simplicity, harmony and balance. Clean lines and simple designs pair with sleek, streamlined hardware in stainless steel, polished nickel or chrome finishes. Light-grained woods and stone bring warmth to the space.

MODERN

Simplicity is at the heart of what it means to be modern. Objects and spaces feature crisp, clean, minimalist lines with a decided geometric bent. Edges are more defined; everything is stripped down to its essence. Ultimately, the modern style is a celebration of the beauty to be found in man-made objects.

KITCHEN Continuum

COLLECTIONS ARRANGED FROM STATELY TO MODERN.



KITCHEN & BATH FINISHES



BATH Continuum

COLLECTIONS ARRANGED FROM STATELY TO MODERN.





PC PN BN BZ RB







PC PN NK RB NKBL
















































CUTTING-EDGE DESIGN IS THE DRIVING FORCE BEHIND EVERY BRIZO® COLLECTION.

We don't hesitate to push beyond the predictable to create something truly unique—looking past what's known to discover what's next.





INTRODUCING THE NEW LITZE™ BATH COLLECTION

Timeless design. Enduring craftsmanship.

The Litze Bath Collection beautifully combines both virtues—taking an old style and creating something completely new.

"In Litze, we've created a collection where everything has a purpose, which leads to a design that's modern, refined, clean—and surprisingly multi-faceted," says Jordan Bahler, Brizo® Lead Industrial Designer.

Merging distinctive design with meticulous craftsmanship creates a look that stands the test of time. Litze is perfectly at home in a modern classic environment or an urban, industrial space.

VIEW COMPLETE LITZE COLLECTION | PG 66











The versatility can be credited to the impressive variety of styles and configurations the collection offers. This includes three unique handle options—Lever, T-Lever, and Industrial Lever—as well as high and low spout widespread lavatories and single-handle deck and wall mount lavatories. Throughout the collection, solid brass knurling is subtly applied—an exquisite detail inspired by the revival of the arts and crafts movement that creates an industrial yet refined look.

IN LITZE™ WE'VE CREATED A COLLECTION WHERE EVERYTHING HAS A PURPOSE

Similarly, the effortless curve of the faucet's bent tube spout reflects the emphasis on simplicity in the Bauhaus design school—another movement that played a key role in the collection's inspiration.

The collection's beauty and innovation extends to the showering space, as well. The slide bar handshower with wheel features solid brass knurled elements, while a jointed shower arm allows you to position the showerhead just to your liking. And the new thermostatic shower valve features integrated volume, temperature and diverter controls—an example of elegance in both style and functionality.

Indeed, this level of refined, elegant thinking is a fitting theme for the collection as a whole. With its timeless details, thoughtful innovations and myriad style options, the Litze Bath Collection is the epitome of Brizo® design: a seamless marriage of both art and craft.



e're always looking for new ways to challenge the status quo and stake out territory where no one else has

ventured. It was this pioneering spirit that led us to do something more than a little unexpected:


enter the world of fashion.



Our passion to work with the best in any industry brought us to a young, talented designer named Jason Wu— and the rest is history. Over time, our relationship with Jason has evolved, culminating in the stunning Jason Wu for Brizo™ Bath Collection. Collaborating with a fashion designer on a faucet is something no one in our industry had done, and was a resounding statement of purpose.

The collection, too, makes an unforgettable statement. Inspired by Jason's signature aesthetic, it features architectures that are sleek and modern, wrapped in a striking matte black finish—delivering, in every way, Jason's original vision of true fashion for the home.

JASON WU FOR BRIZO™ BATH COLLECTION | PG 78



ATELIER 216









LUXURY IN EVERY

CRAFTSMANSHIP IS ESSENTIAL TO BRINGING EACH AND EVERY STATEMENT TO LIFE.

No facet is too small to be thoughtfully designed, meticulously detailed—and throughly obsessed over. Our focus on artistry results in intricate touches like the knurling texture throughout the Litze™ Bath Collection, leads to revolutionary functionality like the Articulating Kitchen Faucet, and allows us to create things no one else can, like the twist in our Virage® Bath Collection. Finally, demonstrating that our focus on craft is evident at every stage, each product is carefully assembled by hand—ensuring only the highest quality standards are met.















With SmartTouch Technology, you simply touch anywhere on the faucet's body, handle or arm to turn water flow on or off. And integrated TempID™ Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature.


"The Articulating Kitchen Faucet is designed to adapt to the way you work," says Celine Garland, Brizo Lead Industrial Designer. "The beauty of the articulating arm is how well it can direct water where you need it; and with the addition of SmartTouch Technology, you have even more freedom in the kitchen."

SMARTTOUCH® TECHNOLOGY GIVES YOU EVEN MORE FREEDOM IN THE KITCHEN

CELINE GARLAND, BRIZO LEAD INDUSTRIAL DESIGNER

Adds Brizo Product Manager Sarah Schlifke, "The exposed hose design is striking to look at—both timeless and modern. And more than that, it's truly functional, as well."

The Articulating Kitchen Faucet with SmartTouch Technology is available within two of Brizo's most distinctive kitchen collections: Artesso® and Solna®.



owhere else is the craftsmanship in every Brizo® product more evident than our tub fillers—like the handcrafted knurling texture in the Litze™ Collection or the delicate twist in the Virage® Collection—the unique elements are enhanced by the scale of the tub fillers.

Brizo offers both single-handle and two-handle freestanding tub fillers to fit any room aesthetic. Single-handle tub fillers effortlessly evoke a contemporary design aesthetic—bringing stunning new life to a modern or traditional bath space. Beyond simply making a statement, Brizo tub fillers incorporate a wealth of innovative features, including an indexing handshower to ensure drips land in the tub instead of on the floor, as well as H₂Okinetic® handshowers (on select models) to provide an indulgent experience, while using less water.








Classic and timeless, the two-handle design pairs traditional styling with an array of configurations and trim kit options, allowing you to create a look that matches virtually any space. Separate trim kits include the handshower, spout and handles, and are designed to coordinate with a variety of Brizo bath collections, while floor mount, deck mount and wall mount installation options offer an added degree of flexibility.

Each floor mount tub filler pairs with a state-of-the-art rough that ensures faucet stability, simplifies installation and allows for constant spout height to the finished floor. And the high flow rate on all models allows you to fill the tub more efficiently—and escape to your private retreat even faster.







INNOVATION INSPIRES EVERYTHING WE DO,

from expertly engineered Articulating Kitchen Faucets and breakthrough SmartTouch® and SmartTouchPlus™ technologies, to our revolutionary H₂Okinetic® Technology for the shower. Fashion never stands still, and neither do we.

SMARTTOUCH® TECHNOLOGY

Kitchen convenience starts with a touch.

Allowing you to activate water flow with a simple touch to the faucet body, spout or handle, SmartTouch Technology brings a new level of convenience to the kitchen. This functionality makes it easy to activate water flow only when needed, helping reduce water usage and promoting efficiency of motion. Integrated TemplDTM Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature.



Durable by design.

Our DIAMOND Seal Technology uses a diamond-coated valve to bring you a faucet built to last up to 5 million uses. With its durable components and simple construction, a DIAMOND Seal Technology valve lasts up to 10 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).







MAGNEDOCK® TECHNOLOGY

A new kind of security.

The first technology of its kind available, MagneDock features a patented, state-of-the-art magnetic docking system. In the kitchen, this system securely holds the spray wand in place when not in use. The durable magnets are made to last forever, while their polarity keeps the spray head perfectly aligned, for a clean, seamless look that maintains the faucet's distinctive form.



2-BUTTON, 4-FUNCTION SPRAY WAND

Take control.

This innovative feature provides users with exceptional control of their faucet's water flow. Alternate between stream and spray, control the water's volume in spray or stream mode, and even pause and restart the flow—all with two button simplicity. For both cooking and clean-up, take control of your water like never before.

SMARTTOUCH*PLUS*™ TECHNOLOGY

Set your hands free.

The next generation of SmartTouch® Technology, SmartTouchPlus adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation. Integrated TempID™ Technology lets you know how warm or cool the water is with an LED light that changes color as the water changes temperature. It's a whole new level of control—and convenience.



TEMPIQ® TEMPERATURE CONTROL TECHNOLOGY

 $A\ smarter\ take\ on\ temperature.$

TempIQ Temperature Control Technology is powered by an electronic thermostatic valve, EPV™, that senses the water temperature before it leaves the spout. An LED light changes color to let you know exactly when water has reached your desired temperature. The valve continually adjusts the hot/cold water mix to maintain a consistent water temperature with no sudden (and unwelcome) increases or decreases, while the true high-temperature limit stop offers an added degree of safety.





H₂OKINETIC® TECHNOLOGY

Better showers. Less water.

H₂Okinetic Technology is the study of water in motion, and Brizo® Custom Shower Systems were the first to bring this revolutionary technology to market. By controlling water's shape, velocity and thermal dynamics, we've reinvented the showering experience—creating a warmer, more luxurious spray that blankets the body, giving the feeling of a high-flow spray with a fraction of the water.

SEE PG 122 FOR MORE INFORMATION











LUXURY WITHA CONSCIENCE

GOOD DESIGN CAN DO MORE.

We've worked for years to ensure our products are environmentally friendly, but our impact doesn't end there. Being good citizens of our community, as well as good stewards of the planet, is what we strive for.

Sustainable

LUXURY.

To us, it means more than an exquisite indulgence. It's finding innovative ways to elegantly combine superior design and function—and recognizing the value of one of our planet's most precious resources: water.

That's why we focus on creating products that prove a superlative, luxurious experience can also be environmentally conscious.





Brizo®, as part of Delta Faucet Company, was named one of the 2015 WaterSense® Sustained Excellence Award winners for products that meet or exceed the water efficiency requirements set forth by the Environmental Protection Agency (EPA). Our commitment to sustainability impacts everything we do—from our WaterSense® labeled faucets and showerheads offered throughout all of our bath collections, to our revolutionary H₂Okinetic® Technology that creates the feeling of a high-flow spray while using only a fraction of the water.

That's why we are a proud three-time WaterSense Partner of the Year. And why we were named one of the 2015 WaterSense Sustained Excellence Award winners.

We take our commitment to helping make the world a better place seriously, which is

why we are quick to embrace new statespecific water efficiency requirements, including the new, more stringent California Title 20 water-efficiency standards that are comparable to or lower than the applicable WaterSense program standards.

To address growing water-conservation concerns across the U.S., water saving products for the kitchen, bath and shower are available to everyone looking to be more water-conscious.

IT'S NOT JUST THE THINGS WE MAKE.

IT'S THE MARK WE MAKE ON THIS NOT THE STATE OF THE STATE


ST. JUDE CHILDREN'S RESEARCH HOSPITAL® IS LEADING THE WAY
THE WORLD UNDERSTANDS, TREATS AND DEFEATS CHILDHOOD CANCER
AND OTHER LIFE-THREATENING DISEASES.



Treatments invented at St. Jude have helped push the overall childhood cancer survival rate from 20 percent when the hospital opened to more than 80 percent. St. Jude is working to drive that survival rate to 90 percent, and won't stop until no child dies from cancer.

In 2010, Brizo® became the first national sponsor of the St. Jude Dream Home® Giveaway. This fundraising initiative helps fund the lifesaving work of St. Jude by giving thousands of people the opportunity to win a beautiful, brand new home— made possible through the tireless efforts of volunteer builders, and constructed primarily using donated land, labor and materials, including more than \$3 million in Brizo products and donations.

To locate a St. Jude Dream Home Giveaway in your area, or to find out how you can get involved, visit brizo.com/stjude or stjudedreamhome.org.















APETTICAL BRIZO®

collaboration of unique perspectives always creates surprising results. In partnership with Bon Appetit magazine, we brought together thought leaders in the kitchen world for a discussion at Condé Nast headquarters in New York. The panel consisted of Alison Cayne, sustainable food advocate and founder of Haven's Kitchen; Athena Calderone, designer and founder at the well-known lifestyle blog EyeSwoon; and Jordan Bahler, Brizo Lead Industrial Designer. Together, they talked about current trends in the kitchen space—and what the future holds.

Q: What does the kitchen represent for you?

Athena: I would say that it always represented family and love and togetherness.

Jordan: I totally agree... as Athena was saying, you prepare food for your loved ones there. And I think that's really your opportunity to express your feelings for your friends and your family with the act of serving.

Alison: It's actually an altar in many cultures around the world. The kitchen is considered the temple of the home. If the house is a body, the kitchen is the heart.

Q: How do you approach designing for the kitchen? **Athena:** I think that you are always wanting a little bit of contrast and juxtaposition... that's what creates a little bit of intrigue and curiosity, something that's not just the strait and narrow.

Q: What about your kitchen has made you a better cook? **Alison:** I would say open shelving has made me a better cook, because I can grab quickly, I know exactly what I have, I know exactly what I'm using and what I'm not using...it's improved my timing and timing is everything.

IF THE HOUSE IS A BODY, THE KITCHEN IS THE HEART.

ALISON CAYNE

FOUNDER OF HAVEN'S KITCHEN

Q: What's happening right now in the kitchen that interests you? **Athena:** I feel like I'm seeing a lot of pine floors in homes and kitchens, and combinations of timeless details and slicker, more modern materials.

Alison: People are realizing more and more the importance of sustainability in their food, which is encouraging.

Jordan: Designing for the kitchen in general is interesting because it's a two-fold assignment; there's the style aspect and the functionality. It's a challenge balancing the two in our designs, which means it's never boring.



LEFT:

The panel, from left: Christine Muhlke, Executive Editor at Bon Appétit magazine; Alison Cayne, sustainable food advocate; Athena Calderone, designer and founder of the blog EyeSwoon; Jordan Bahler, Brizo Lead Industrial Designer






















FORGED. REFINED. REMARKABLE.

An industrial evolution.

The artisan tradition has never been more alluring. Tracing its visual inspiration to factories of the early 20th century, the Artesso Kitchen Collection by Brizo® is a warmer, more refined take on the industrial aesthetic. An array of innovations, including MagneDock® Technology, optional SmartTouch® Technology, and the Articulating Kitchen Faucet, make the Artesso collection's functionality every bit the equal of its form.











- B. TWO-HANDLE BRIDGE WITH SIDE SPRAYER 62525LF-SS Height: 13 21/34" Reach: 8 19/32" Max Flow: 1.8 gpm @ 60 psi
- C. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64025LF-PN Height: 16 1/8" Reach: 8 3/4" Max Flow: 1.8 gpm @ 60 psi
- D. SINGLE-HANDLE PULL-DOWN 63025LF-SS Height: 16 1/8" Reach: 8 3/4' Max Flow: 1.8 gpm @ 60 psi
- E. SINGLE-HANDLE BAR 61025LF-SS Height: 13 9/64" Reach: 6 1/32" Max Flow: 1.8 gpm @ 60 psi
- F. SOAP/LOTION DISPENSER RP75675SS



























INSPIRED. STATELY. ILLUMINATING.

A beacon for the kitchen.

Drawing inspiration from the beauty of lighthouses, the Baliza Kitchen Collection by Brizo® effortlessly combines the timeless and the modern. Wrapped around its classical form is cutting-edge innovation, including a two-button, four-function pull-out wand that remains securely locked with MagneDock® Technology. Baliza is the first Brizo pull-out or pull-down kitchen faucet to allow water volume to be controlled from the wand.





A. SINGLE-HANDLE PULL-OUT 63005LF-RB Max Height: 11¹⁷/₃₂" Reach: 9¹⁷/₃₂" Max Flow: 1.8 gpm @ 60 psi

B. BUD VASE* RP50277RB

C. SOAP/LOTION DISPENSER RP50274RB

D. TOWEL HOOK RP50279RB

























SINGULAR. FLOWING. SEDUCTIVE.

A true work of art, the Belo Kitchen Collection by Brizo® features a design as much sculpture as faucet. Its elegant, sweeping form is paired with a two-button, four-function pull-down wand that attaches with MagneDock® Technology.

Instant attraction.





- A. SINGLE-HANDLE PULL-DOWN 63052LF-PC Height: 15" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- B. SINGLE-HANDLE PULL-DOWN PREP 63952LF-PC Height: 131/2" Reach: 61/2" Max Flow: 1.8 gpm @ 60 psi
- C.BUD VASE RP49587PC
- D. SOAP/LOTION DISPENSER RP49589PC























SLEEK. STYLISH. SCANDINAVIAN.

A northern accent.

Inspired by contemporary Scandinavian furniture, the Solna Kitchen Collection by Brizo® features crisp lines and a beautifully simple form delivering a sleek, sophisticated look to any culinary space. Both the kitchen and the prep pull-down models feature a completely "hidden" pull-down spray wand held in place with MagneDock® Technology and optional SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle. The Articulating Kitchen Faucet provides exceptional range of movement and greater versatility for common kitchen tasks.



D









- A. SINGLE-HANDLE ARTICULATING WITH SMARTTOUCH® TECHNOLOGY* 64221LF-BL Max Height: 20 9/16" Max Reach: 10 1/2" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- B. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64020LF-BL Height: 163/32" Reach: 93/32" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN PREP 63920LF-BL Height: 12⁷/16" Reach: 7 1/16" Max Flow: 1.8 gpm @ 60 psi Available with SmartTouch® Technology
- D. SOAP/LOTION DISPENSER* RP79275BL
- E. SINGLE-HANDLE PULL-OUT* 63220LF-BL Height: 11¹¹/₁₆" Reach: 8 ²⁵/₃₂" Max Flow: 1.8 gpm @ 60 psi
- F. HIDDEN PULL-DOWN WAND WITH

 MAGNEDOCK® TECHNOLOGY

 (Single-Handle Pull-down and Prep models only)

AVAILABLE FINISHES



CHROME



















GIFTED. GRACEFUL. MAGNETIC.

Naturally beautiful.

The Talo Kitchen Collection by Brizo® features a distinctive, nature-inspired silhouette. This graceful form is married to a wealth of advanced functionality, including a two-button, four-function spray wand, and MagneDock® Technology magnetic docking system. Available SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle.











A. SINGLE-HANDLE PULL-DOWN 63003LF-PC Height: 15²⁹/₃₂" Reach: 8⁷/₁₆"

Max Flow: 1.8 gpm @ 60 psi
Available with SmartTouch® Technology

B. SINGLE-HANDLE PULL-DOWN PREP WITH SMARTTOUCH® TECHNOLOGY 64903LF-PC Height: 1529/32" Reach: 87/16"

Max Flow: 1.8 gpm @ 60 psi
Available without SmartTouch® Technology

- C. BUD VASE* RP50277
- D. SOAP/LOTION DISPENSER RP50274
- E. TOWEL HOOK RP50279













ELEGANT. MODERN. ENDURING.

Bridging past and present.

The Tresa Kitchen Collection by Brizo® reunites us with the past by taking design elements from the earliest of European fountains. Its traditional yet timeless styling, enhanced by a simple bend in the neck, makes it a welcome presence in almost any kitchen.















A. SINGLE-HANDLE 61036LF-PN

Height: $13^3/\text{16}''$ Reach: 9'' Max Flow: 1.8 gpm @ 60 psi Available with Side Sprayer

B. TWO-HANDLE BRIDGE WITH SIDE SPRAYER

62536LF-PN; Height: 10²¹/32st Reach: 9²⁷/32st Max Flow: 1.8 gpm @ 60 psi Available without Side Sprayer

C. TWO-HANDLE 62036LF-PN

Height: $13^3/16''$ Reach: 9'' Max Flow: 1.8 gpm @ 60 psi Available with Side Sprayer

D. TWO-HANDLE PREP 62936LF-PN

Height: 111/2" Reach: 63/8" Max Flow: 1.8 gpm @ 60 psi

E. TWO-HANDLE BRIDGE PREP 62636LF-PN

Height: 11¹⁵/16" Reach: 6³/8" Max Flow: 1.8 gpm @ 60 psi

F. BUD VASE RP50277PN

G. SOAP/LOTION DISPENSER RP61024PN











STRONG. CALM. SOPHISTICATED.

A welcome change.

The Venuto Kitchen Collection by Brizo® was designed under the philosophy that a faucet should be both beautiful and functional. The strong lines and geometric appearance become a focal point in any kitchen. And with available SmartTouch® Technology, it brings a new level of safety and convenience to the kitchen, allowing you to control water flow with just a simple touch.





- A. SINGLE-HANDLE PULL-DOWN 63070LF-SS Height: 151/2" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- B. SINGLE-HANDLE PULL-DOWN PREP WITH SMARTTOUCH® TECHNOLOGY* 64970LF-SS Height: 141/2" Reach: 61/2" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN WITH
 SMARTTOUCH® TECHNOLOGY* 64070LF-SS
 Height: 151/2" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- D. BUD VASE* RP42879SS
- E. SOAP/LOTION DISPENSER RP42878SS





























SOARING. SWEEPING. SCINTILLATING.

Luxury takes flight.

Taking its design inspiration from a swan, the Vuelo Kitchen Collection by Brizo® forms a graceful, majestic silhouette—one that is only enhanced with the split finish options. With a wide variety of configurations, including the only Brizo high-rise pull-out design, as well as optional SmartTouch® Technology, Vuelo is a true departure from the ordinary.







- A. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64355LF-PCMW
 - Height: 163/4" Reach: 101/4" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- B. SINGLE-HANDLE PULL-OUT 63255LF-PCMW Height: $16^3/4''$ Reach: 10'' Max Flow: $1.8~\mathrm{gpm}$ @ $60~\mathrm{psi}$ Available with SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN PREP 63955LF-SSCO Height: 15" Reach: 71/8" Max Flow: 1.8 gpm @ 60 psi Available with SmartTouch® Technology
- D. BUD VASE RP64474SSCO
- E. SOAP/LOTION DISPENSER RP64473SSCO



С















EASY. EFFICIENT. EXQUISITE.

The perfect complement.

For those seeking even more versatility and convenience, pot fillers and beverage faucets are superb additions to your culinary space. Traditional and Euro Pot Filler faucets by Brizo® make it easy to fill large cooking vessels quickly—and without the walk from sink to stove—while Traditional and Euro Beverage faucets are the ideal partners for your water filtration system, R/O system, or as a cold water tap. Pot fillers and beverage faucets are available in traditional and contemporary styles, ensuring a look that complements any décor or Brizo collection.









С



- A. EURO DECK MOUNT POT FILLER* 62720LF-PC Height: 17" Reach: 201/2" Max Flow: 4.0 gpm @ 60 psi
- B. TRADITIONAL DECK MOUNT POT FILLER 62710LF-PC Height: 17" Reach: 201/2" Max Flow: 4.0 gpm @ 60 psi
- C. EURO WALL MOUNT POT FILLER* 62820LF-PC Reach: 231/4" Max Flow: 4.0 gpm @ 60 psi
- D. TRADITIONAL WALL MOUNT POT FILLER 62810LF-PC Reach: 231/4" Max Flow: 4.0 gpm @ 60 psi
- E. EURO BEVERAGE FAUCET* 61320LF-PC Height: 91/3" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
- F. TRADITIONAL BEVERAGE FAUCET 61310LF-PC Height: 97/64" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

AVAILABLE FINISHES





BRILLIANCE® POLISHED NICKEL (PN)

























INSPIRED. STATELY. ILLUMINATING.

A beacon for the bath.

Drawing inspiration from the timeless beauty of lighthouses, the Baliza Bath Collection by Brizo® features a unique architecture and simple, elegant lines. The result is a stunningly fresh perspective on a warm, traditional feel.





















A. WIDESPREAD LAVATORY WITH CROSS HANDLES†

65305LF-PNLHP; HX505-PN Height: $6^1/2''$ Reach: $5^5/\epsilon''$ Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

B. MINI-WIDESPREAD LAVATORY WITH LEVER HANDLES†

65505LF-PNLHP; HL505-PN Height: 61/4'' Reach: 51/16'' Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles

C. SINGLE-HANDLE LAVATORY† 65005LF-PN Max Height: 7¹³/₂₂" Reach: 5⁵/₁₆" Max Flow: 1.5 gpm @ 60 psi

Available with optional escutcheon

D. SINGLE-HANDLE VESSEL LAVATORY† 65105LF-PN

Max Height: 123/4" Reach: 55/16" Max Flow: 1.5 gpm @ 60 psi

E. BIDET WITH LEVER HANDLES 68405-PNLHP; HL505-PN

- Available with Cross Handles
 F. TOWEL RING 69546-PN
- G. 18" TOWEL BAR 69518-PN Available as 24"
- H. 24" DOUBLE TOWEL BAR 69525-PN
- I. DOUBLE ROBE HOOK 69535-PN
- J. TISSUE HOLDER 69550-PN
- K. FRONT MOUNT FLUSH LEVER 69561-PN Available as Side Mount














BALIZA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60405-PN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 11" CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-PN 11" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TRADITIONAL HYDRATI® 2|1 SHOWER WITH ${ m H_2OKINETIC}$ ® TECHNOLOGY 86200-PN

RP62929PN 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87305-PN

71/8" showerhead; RP62929PN 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 85710-PN

Bar: 231/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. MULTI-FUNCTION WALL MOUNT HANDSHOWER

85810-PN; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD† AND ROUND TRIM SH84103-PN; T84613-PN

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi

(Rough sold separately)
(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PN; T84613-PN
MASSAGING SPRAY HEAD SH84101-PN; T84613-PN
INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN

I. TWO-HANDLE WALL MOUNT FREESTANDING TUB FILLER WITH CROSS HANDLES

T70305-PN; T70210-PNLHP; RP73764PN

Height: 131/8" Reach: 81/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles

Available as Floor Mount and Deck Mount

$\ensuremath{\mathsf{J}}.$ ROMAN TUB WITH CROSS HANDLES

AND HANDSHOWER T67405-PNLHP; HX605-PN Height: 7 ²⁵/₆₄" Reach: 8 ¹⁵/₁₆" Max Flow: 18.5 gpm @ 60 psi

Height: 725/64" Reach: 815/16" Max Flow: 18.5 gpm @ 60 ps (Rough sold separately)

Available with Lever Handles

Available without Handshower

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PN; Diameter: $1^1/4''$ Width from Wall: $2^3/4''$ Available as 12"

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 126.



























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87305-PC; 7" Shower Arm and Flange RP62929PC

 $\begin{array}{l} \mbox{MULTI-FUNCTION SLIDE BAR} \\ \mbox{HANDSHOWER WITH} \\ \mbox{H}_2\mbox{OKINETIC} {\rm ^{*}TECHNOLOGY} \end{array} \ 85710\mbox{-PC} \end{array}$

6-FUNCTION DIVERTER TRIM T60905-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60005-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PC

Hydrachoice™ Max Round Trim T84613-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

11" CEILING MOUNT RAINCAN SHOWERHEAD 83310-PC

6" Ceiling Mount Shower Arm and Flange RP48985PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87305-PC; 7* Shower Arm and Flange RP62929PC

WALL MOUNT HANDSHOWER 85810-PC

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH MASSAGING SPRAY
HEAD SH84101-PC
Hydrachoice™ Max Round Trim T84613-PC

SENSORI® VOLUME CONTROL TRIM T66605-PC

SENSORI® THERMOSTATIC VALVE TRIM T66T005-PC

View all Sensori Custom Shower components starting on page 132.



OPULENT. POISED. POETIC.

Artful indulgence.

The Charlotte Bath Collection by Brizo® infuses clean lines with classical elegance, deftly bridging the gap between traditional and modern design. The first collection available with our Cocoa Bronze finish, the single-hole electronic lavatory features SmartTouchPlus™ Technology (allowing hands-free and touch activation), as well as TemplQ® Temperature Control Technology. The Charlotte collection's bold symmetry and sumptuous details add an instant sophistication to any bath.



























A. WIDESPREAD LAVATORY WITH HANDLES†

65385LF-PNCOLHP; HL5385-PNCO Height: 73/8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

B. WALL MOUNT LAVATORY WITH HANDLES†

65885LF-PNCOLHP; HL5885-PNCO Reach: 81/4" Max Flow: 1.5 gpm @ 60 psi

C. WIDESPREAD VESSEL LAVATORY WITH HANDLES†

65485LF-PNCOLHP; HL5485-PNCO Height: 12³/₄" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

D. SINGLE-HOLE ELECTRONIC LAVATORY[†] 65685LF-PNCO Height: 7³/6" Reach: 5" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

E. SINGLE-HANDLE LAVATORY† 65085LF-PNCO Max Height: 925/s2" Reach: 51/16" Max Flow: 1.5 gpm @ 60 psi Available with SmartTouchPlus™ Available with optional escutcheon

- F. WALL MIRROR 698085-PNC0 Size: 20" x 26"
- G.18" TOWEL BAR 691885-PNC0 Available as 24"
- H. 24" DOUBLE TOWEL BAR 692585-PNCO
- I. SINGLE LIGHT SCONCE 697085-PNCO Height: 117/16"
- J. TOWEL RING 694685-PNCO
- K. DOUBLE ROBE HOOK 693585-PNCO
- L. BIDET WITH HANDLES 68485-PNCOLHP: HL 5385-PNCO
- M. TISSUE HOLDER 695085-PNCO
- N. FRONT MOUNT FLUSH LEVER 696085-PNCO Available as Side Mount

AVAILABLE FINISHES









COCOA BRONZE™/ BRILLIANCE® POLISHED NICKEL (PNCO)

CHARLOTTE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60485-PNCO; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81385-PNCO

81/4" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-PNCO

RP71649PN 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO

 $5^{13} \slash 16\slash 8$ showerhead; RP70909PN 8 \slash arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 85785-PNCO

Bar: 231/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. WALL MOUNT HANDSHOWER 85885-PNCO; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD*† AND ROUND TRIM SH84103-PN; T84613-PN

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY*† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right and top to bottom) SOOTHING SPRAY HEAD SH84100-PN; T84613-PN MASSAGING SPRAY HEAD SH84101-PN; T84613-PN INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN

I. 24" ADA COMPLIANT TRADITIONAL GRAB BAR* 69310-PN; Diameter: $1^1/4''$ Width from Wall: $2^3/4''$

Available as 12"

J. TWO-HANDLE FLOOR MOUNT FREESTANDING TUB FILLER T70385-PNCO; T70210-PNLHP; RP73766PN

Height: 4213/16" Reach: 81/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available as Wall Mount and Deck Mount

K. ROMAN TUB WITH HANDLES AND HANDSHOWER

T67485-PNCOLHP; HL685-PNCO

Height: 91/8" Reach: 9" Max Flow: 18.5 gpm @ 80 psi (Rough sold separately)

Available without Handshower

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 126.



























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO; 8" Shower Arm and Flange RP70909PN

WALL MOUNT HANDSHOWER 85885-PNCO

6-FUNCTION DIVERTER TRIM T60985-PN

TEMPASSURE® THERMOSTATIC VALVE TRIM

T60085-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PN

Hydrachoice™ Max Round Trim T84613-PN

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 81385-PNCO 6" Ceiling Mount Shower Arm and Flange RP48985PN

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87385-PNCO; 8" Shower Arm and Flange RP70909PN

TOUCH-CLEAN® BODY SPRAYS* 84110-PN

WALL MOUNT HANDSHOWER 85885-PNCO

SENSORI® VOLUME CONTROL TRIM T66685-PNCO

SENSORI® THERMOSTATIC VALVE TRIM T66T085-PNCO

View all Sensori Custom Shower components starting on page 132.



TEXTURED. VERSATILE. VIBRANT.

Art meets craft.

The Litze Bath Collection by Brizo® melds innovative engineering and artistry to strike a balance that is equally at home in modern classic environments and urban industrial spaces. With thoughtful details such as three distinctive handle options and a beautifully simple bent tube spout, the Litze collection offers a wide range of configurations inspired by the revival of the arts and crafts movement.





























- A. SINGLE-HANDLE LAVATORY† 65035LF-GL Height: 71/2" Reach: 51/2" Max Flow: 1.5 gpm @ 60 psi
- B. WIDESPREAD LAVATORY WITH HIGH SPOUT AND INDUSTRIAL LEVER HANDLES† 65335LF-GLLHP; HL5334-GL Height: 6 5/16" Reach: 59/16" Max Flow: 1.5 gpm @ 60 psi Available with Lever and T-Lever Handles
- C. WIDESPREAD LAVATORY WITH LOW SPOUT AND LEVER HANDLES† 65337LF-GLLHP; HL5332-GL Height: 415/16" Reach: 59/16" Max Flow: 1.5 gpm @ 60 psi Available with T-Lever and Industrial Lever Handles
- D. WALL MOUNT LAVATORY† T65735LF-GL Spout Length: 83/4" Max Flow: 1.5 gpm @ 60 psi (Rough sold seperately)
- E. DOUBLE ROBE HOOK 693535-GL
- F. 18" TOWEL BAR 691835-GL Available as 24" and 30"
- G. BIDET 68135-GL Max Height: 71/8" Reach: 47/8"
- H. ROTATING DOUBLE ROBE HOOK WITH KNURLING 693537-GL
- I. 8" MINI TOWEL BAR WITH KNURLING 694735-GL
- J. TISSUE HOLDER 695035-GL
- K. UNIVERSAL TANK LEVER 696335-GL
- L. DRAWER KNOB 699235-GL
- M. DRAWER PULL WITH KNURLING 699137-GL
- N. DRAWER PULL 699135-GL

AVAILABLE FINISHES





BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® LUXE NICKEL® (NK)



BRILLIANCE® LUXE GOLD™ (GL)



BRILLIANCE® LUXE NICKEL®/ POLISHED CHROME (NKPC) *



POLISHED CHROME/ TEAK (PCTK)*



- * Select finishes not available on all models and accessories.
- † Available with 1.0 gpm max flow rate.

LITZE™ TUB & SHOWER

A TEMPASSURE® THERMOSTATIC SHOWER ONLY
WITH LEVER HANDLES T60235-GLLHP; HL6032-GL
Showerhead Max Flow: 2.0 gpm @ 80 psi
(Rough sold separately)

Available with T-Lever and Industrial Lever Handles Available as Valve Only

B. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-GL 4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

C. RAINCAN SHOWERHEAD‡ 81375-GL 8" showerhead; RP48985GL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. 4-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY 87435-GL
8" showerhead; RP81434GL Jointed shower arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P035-GL (Rough sold separately)

F. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM AND LEVER HANDLES T75535-GLLHP; HL7532-GL (Rough sold separately)

Available with T-Lever and Industrial Lever Handles Available as Integrated 6-Function Diverter Trim

G. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH WHEEL AND H₂OKINETIC® TECHNOLOGY 88735-GL Bar: 221/2" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH
H₂OKINETIC* TECHNOLOGY 85735-GL
Bar: 22¹/₂" Hose: 60" Max Flow: 2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC* TECHNOLOGY 88835-GL
Bar: 22¹/₂" Hose: 60" Max Flow: 2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa

J. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-GL RP62929PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 7.6 L/min @ 550 kPa

K.SINGLE-HANDLE FREESTANDING TUB FILLER AND LEVER HANDLE T70135-GL; HL7032-GL Height: 393/4" Reach: 91/4" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

Available with T-Lever and Industrial Lever Handles

L. HYDRACHOICE™ SPRAY HEADS WITH
H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: $3^1/2''$ Width: $3^1/2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-GL; T84613-GL MASSAGING SPRAY HEAD SH84101-GL; T84613-GL INVIGORATING SPRAY HEAD SH84102-GL; T84613-GL

M.HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†
AND ROUND TRIM SH84103-GL; T84613-GL
Height: 3½″ Width: 3½″ Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

N.ROMAN TUB WITH LEVER HANDLES
AND HANDSHOWER T67435-GLLHP; HL632-GL
Height: 93/8" Reach: 911/16" Max Flow: 18.5 gpm @ 60 psi
(Rough sold separately)

Available with T-Lever and Industrial Lever Handles

Available without Handshower

































TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87435-GL; Jointed Shower Arm RP81434GL

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH WHEEL AND H₂OKINETIC® TECHNOLOGY 88735-GI

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM AND INDUSTRIAL LEVER HANDLES T75635-GLLHP; HL7532-GL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-GL

Hydrachoice™ Max Round Trim T84613-GL

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT PENDANT
RAINCAN SHOWERHEAD WITH
H,OKINETIC® TECHNOLOGY 81335-PN

MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88835-PN

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87435-PN; 7" shower arm RP74751PN

SENSORI® THERMOSTATIC VALVE TRIM WITH T-LEVER HANDLE T66T035; HL6633-PN

SENSORI® VOLUME CONTROL TRIM WITH T-LEVER HANDLE T66633-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PN Hydrachoice™ Max Round Trim T84613-PN

View all Sensori Custom Shower components starting on page 132.



CLEAN. CONTEMPORARY. CALCULATED.

A brilliant deception.

Inspired by Scandinavian design, the Loki Bath Collection centers around an ingenious faucet* that pairs a graceful arc with a horizontal platform that resulted in a RedDot award for product design. The unique sliding handle system invites the user to engage with it to manipulate water volume and temperature.

*Designed by Torben Jorgensen/Gneiss Group & Mikal Harrsen

















A. TWO-HANDLE SINGLE-HOLE LAVATORY† 65172LF-PC Height: 89/16" Reach: 513/16" Max Flow: 1.5 gpm @ 60 psi

B. 24" TOWEL BAR 692480-PC

C. 18" TOWEL BAR 691880-PC

D. ROBE HOOKS-PAIR 693580-PC

E. TOWEL RING 694680-PC

F. TISSUE HOLDER 695080-PC

G. FRONT MOUNT FLUSH LEVER 696080-PC Available as Side Mount









LOKI® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60480-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. RECTANGULAR RAINCAN SHOWERHEAD‡

81380-PC $8\,^5$ /s" x $5\,^3$ /4" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD

83341-PC 8 5/8" x 5 3/4" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. SQUARE RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87380-PC 53/8" showerhead; RP74448PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P080-PC

(Rough sold separately)

F. WALL MOUNT HANDSHOWER 85880-PC

Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. SLIDE BAR HANDSHOWER 85780-PC

Bar: 25" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. EURO SLIDE BAR HANDSHOWER 85521-PC

Bar: 35" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

I. EURO SQUARE HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86280-PC RP74448PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM

Height: 31/2'' Width: 31/2'' Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC
MASSAGING SPRAY HEAD SH84101-PC; T84913-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

K. HYDRACHOICE™TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC Height: $3^12''$ Width: $3^12''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

L. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: $1^1/4''$ Width from Wall: $2^3/4''$ Available as 12''





























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-PC 16" Shower Arm and Flange RP71650PC

SLIDE BAR HANDSHOWER 85780-PC

6-FUNCTION DIVERTER TRIM T60980-PC; Diverter Rough R60700

TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BN;

6" Ceiling Mount Shower Arm and Flange

SQUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN

Available as square Touch-Clean Body Sprays

SENSORI® VOLUME CONTROL TRIM T66680-BN

SENSORI® THERMOSTATIC VALVE TRIM T66T080-BN





UNCLUTTERED, UNCOMMON. UNPARALLELED.

Addition meets subtraction.

Minimalist? Maximalist? Yes. The Odin Bath Collection by Brizo® pairs a clean, Scandinavian design with a wealth of leading-edge technologies—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouchPlus™ adds proximity sensing to our existing touch technology, allowing for both handsfree and touch-sensitive operation.























- A. SINGLE-HANDLE LAVATORY[†] 65075LF-PC Max Height: 813/16" Reach: 47/16" Max Flow: 1.5 gpm @ 60 psi
- B. SINGLE-HOLE ELECTRONIC LAVATORY† 65675LF-PC Height: 91/8" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- C. SINGLE-HANDLE LAVATORY WITH SMARTTOUCHPLUS™ TECHNOLOGY† 65975LF-PCBL Max Height: 813/16" Reach: 47/16" Max Flow: 1.5 gpm @ 60 psi
- D. WIDESPREAD LAVATORY† 65375LF-PC Height: 9" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- E. WALL MOUNT LAVATORY† 65875LF-PC Reach: 81/2" Max Flow: 1.5 gpm @ 60 psi
- F. TOWEL RING 694675-PC
- G. LIGHT SCONCE 697075-PC Height: 113/4'
- H. SIDE MOUNT FLUSH LEVER 696275-PC Available as Front Mount
- I. DRAWER KNOB 699275-PC
- J. BIDET 68475-PC
- K. 24" TOWEL BAR 692475-PC Available as 18"
- L. TISSUE HOLDER WITH REMOVABLE COVER
- M. ROBE HOOK 693575-PC
- N. DRAWER PULL 699175-PC

AVAILABLE FINISHES





BRILLIANCE® BRUSHED NICKEL (BN)





POLISHED CHROME/MATTE BLACK (PCBL) Available on Single-Handle Lavatory only





ODIN™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 8" CEILING MOUNT RAINCAN SHOWERHEAD‡

81375-PC 8" showerhead; RP48985PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-PC

4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P075-PC

(Rough sold separately)

Available as Tub/Shower and Shower Only*

E. RAINCAN SHOWERHEAD WITH $\rm H_2OKINETIC^{\circledast}$

TECHNOLOGY 87375-PC 53/8" showerhead; RP71648PC 16" arm

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88775-PC

Bar: 22" Hose: 60"

Bar: 22" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-PC; Hose: 60"

TECHNOLOGY 88875-PC; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION EURO SLIDE BAR HANDSHOWER

85521-PC; Bar: 35" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-PC

RP74751PC 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. ROMAN TUB WITH HANDSHOWER T67475-PC

Height: 111/2" Reach: 9" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available without Handshower

K. SINGLE-HANDLE FREESTANDING TUB FILLER $\,$ T70175-PC $\,$

Height: 401/2" Reach: 87/8" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

L. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD† AND ROUND TRIM SH84103-PC; T84613-PC

AND ROUND TRIM SH84103-PC; T84613-PC Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

M. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: $3^{1}/2^{\prime\prime}$ Width: $3^{1}/2^{\prime\prime}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84613-PC MASSAGING SPRAY HEAD SH84101-PC; T84613-PC INVIGORATING SPRAY HEAD SH84102-PC: T84613-PC


N. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4" Available as 12"

































^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

SLIDE BAR HANDSHOWER WITH H₂OKINETIC*TECHNOLOGY 88775-PC

TOUCH-CLEAN® BODY SPRAYS 84110-PC

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

8" CEILING MOUNT RAINCAN SHOWERHEAD 81375-PC

10" Ceiling Mount Shower Arm and Flange RP48986PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-PC

16" Shower Arm and Flange RP71648PC WALL MOUNT HANDSHOWER WITH

H₂OKINETIC*TECHNOLOGY 88875-PC SENSORI* THERMOSTATIC VALVE TRIM

T66T075-PC

SENSORI® VOLUME CONTROL TRIM T66675-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PC

Hydrachoice™ Max Round Trim T84613-PC



FASHION-FORWARD MEETS FORWARD THINKING.

A study in contrast.

The exclusive Jason Wu for Brizo™ Bath Collection features the aesthetic sense of a renowned fashion designer, coupled with the design and innovation that could only come from Brizo®—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouchPlus™ adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation.



- A. SINGLE-HANDLE LAVATORY† 65075LF-BL Max Height: 8¹⁹/16" Reach: 4⁷/16" Max Flow: 1.5 gpm @ 60 psi Available with SmartTouch*Plus*™ Technology
- B. SINGLE-HOLE ELECTRONIC LAVATORY[†] 65675LF-BL Height: 9¹/₈" Reach: 4³/₄" Max Flow: 1.5 gpm @ 60 psi
- C. WALL MOUNT LAVATORY† 65875LF-BL Reach: 81/2" Max Flow: 1.5 gpm @ 60 psi
- D. TWO-HANDLE WIDESPREAD LAVATORY† 65375LF-BL Height: 9" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- E. BIDET 68475-BL
- F. TOWEL RING 694660-PC
- G. FREESTANDING SOAP PUMP 695360-PC
- H. DRAWER KNOB 699260-BL
- I. TISSUE HOLDER 695060-PC
- J. DRAWER PULL 699160-PC
- K. WASTEBASKET 699060-BL
- L. GLASS SHELF 691060-BL
- M.18" TOWEL BAR 691860-PC







JASON WU FOR BRIZO™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-BL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-BL

4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

C. 8" CEILING MOUNT RAINCAN SHOWERHEAD‡

81375-BL 8" showerhead; RP48985BL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-BL

53/8" showerhead; RP71648BL 16" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P075-BL

(Rough sold separately)

F. SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88775-BL

Bar: 22" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH $\mathrm{H_2OKINETIC^{\circledast}}$ TECHNOLOGY 88875-BL; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-BL

RP74751BL 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

I. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BL; T84613-BL INVIGORATING SPRAY HEAD SH84102-BL; T84613-BL MASSAGING SPRAY HEAD SH84101-BL; T84613-BL

J. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-BL; T84613-BL Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

K. ROMAN TUB WITH HANDSHOWER T67475-BL Height: 111/2" Reach: 9" Max Flow: 18.5 gpm @ 60 psi

(Rough sold separately)

Available without Handshower

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70175-BL; Height: 401/2" Reach: 87/8" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

M. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR

69375-BL; Diameter: 11/4" Width from Wall: 23/4' Available as 12"


































TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT PENDANT
RAINCAN SHOWERHEAD WITH
H,OKINETIC* TECHNOLOGY 81335-BL

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-BL 16" Shower Arm And Flange RP71648BL

SLIDE BAR HANDSHOWER WITH H,OKINETIC® TECHNOLOGY 88775-BL

6-FUNCTION DIVERTER TRIM T60975-BL

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-BL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-BL

Hydrachoice[™] Max Round Trim T84613-BL

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-BL 16" Shower Arm with Flange RP71648BL

SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88775-BL

SENSORI® VOLUME CONTROL TRIM T66675-BL

SENSORI® THERMOSTATIC VALVE TRIM T66T075-BL

TOUCH-CLEAN® BODY SPRAY 84110-BL



POISED. HANDSOME. POLISHED.

Simplistic and elegant, the Providence Bath Collection by Brizo[®] aims to mimic the very essence of water itself with the fluid curve of its spout.

A graceful expression.



















A. PROVIDENCE BELLE WIDESPREAD LAVATORY WITH FRENCH LEVER HANDLES†

6526LF-BNLHP; HK37(C/H)-BN Height: 7'' Reach: $4^3/4''$ Max Flow: 1.5 gpm @ 60 psi Available with Cross and Lever Handles

B. PROVIDENCE CLASSIC WIDESPREAD LAVATORY WITH CROSS HANDLES†

6520LF-BNLHP; HK33(C/H)-BN Height: 7'' Reach: $4^3/4''$ Max Flow: 1.5 gpm @ 60 psi Available with Lever and French Lever Handles

- C. BIDET WITH LEVER HANDLES 6310-BNLHP; HK36-BN Available with Cross and French Lever Handles
- D. TOWEL RING 69546-BN
- E. DOUBLE ROBE HOOK 69535-BN
- F. TISSUE HOLDER 69550-BN
- G. 24" DOUBLE TOWEL BAR 69525-BN
- H. FRONT MOUNT FLUSH LEVER 69561-BN Available as Side Mount
- I. 18" TOWEL BAR 69518-BN Available as 24"







PROVIDENCE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60410-BN; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. TRADITIONAL PRESSURE BALANCE TUB/SHOWER

T60P410-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-BN 11" showerhead; RP48985BN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. 9" RAINCAN SHOWERHEAD RP52090BN

9" showerhead; RP54168BN 16" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. MULTI-FUNCTION SLIDE BAR HANDSHOWER 85710-BN

Bar: 231/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. MULTI-FUNCTION WALL MOUNT HANDSHOWER

85810-BN; RP36004BN Wall Mount Elbow; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa Available as Single-Function

G. TRADITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86200-BN RP62929BN 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

H. TWO-HANDLE FLOOR MOUNT FREESTANDING TUB FILLER WITH CROSS HANDLES

T70338-BN; T70210-BNLHP; RP73765BN Reach: 101/2" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles

Available as Deck Mount and Wall Mount

I. PROVIDENCE BELLE HANDSHOWER WITH FRENCH

LEVER HANDLE 6016-BNLHP; HK37(C/H)-BN Flow: 2.0 gpm @ 80 psi

Available with Cross Handle and Lever Handle PROVIDENCE CLASSIC HANDSHOWER (not shown)

J. PROVIDENCE BELLE ROMAN TUB WITH FRENCH

LEVER HANDLES 6726-BNLHP; HK37(C/H)-BN Height: 81/4" Reach: 9" Max Flow: 18 gpm @ 60 psi Available with Cross Handles and Lever Handles PROVIDENCE CLASSIC ROMAN TUB (not shown)

K. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® ECHNOLOGY† AND ROUND TRIM

Height: $3^1/2''$ Width: $3^1/2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-BN; T84613-BN MASSAGING SPRAY HEAD SH84101-BN; T84613-BN INVIGORATING SPRAY HEAD SH84102-BN; T84613-BN

L. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-BN; T84613-BN Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

M. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-NK; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''































^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD

RP52090PC; 16" Shower Arm and Flange RP54168PC

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 85710-PC

6-FUNCTION DIVERTER TRIM T60910-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SHR4100-PC

Hydrachoice™ Max Round Trim T84613-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD 83310-PN

10" Ceiling Mount Shower Arm and Flange RP48986PN

RAINCAN SHOWERHEAD

RP52090PN; 16" Shower Arm and Flange RP54168PN

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 85710-PN

SENSORI® THERMOSTATIC VALVE TRIM WITH CROSS HANDLE

SENSORI® VOLUME CONTROL TRIM WITH CROSS HANDLE

T66638-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PN

Hydrachoice™ Max Round Trim T84613-PN



MINIMAL. HUSHED. HYPNOTIC.

Strong and silent.

The minimalist style of the Quiessence Bath Collection by Brizo® brings retro European design to America. It borrows a design philosophy from the 1950s and applies it to the technology found today. Two simple, perpendicular lines intersect, creating a bold statement that is accented by handle materials including metal, Maple or Wenge wood.



A. SINGLE-HANDLE LAVATORY WITH

MAPLE HANDLE ACCENT† 65014LF-BN; RP42294BN

Max Height: 9" Reach: 5³/16"

Max Flow: 1.5 gpm @ 60 psi
Available with Metal or Wenge Handle Accent

B. TOWEL RING 694675-BN

C. LIGHT SCONCE 697075-BN Height: 113/4"

D. 18" TOWEL BAR 691875-BN Available as 24"

E. TISSUE HOLDER WITH REMOVEABLE COVER 695075-BN

F. DRAWER PULL 699175-BN

G. DRAWER KNOB 699275-BN

H. FRONT MOUNT FLUSH LEVER 696075-BN Available as Side Mount

I. ROBE HOOK 693575-BN









QUIESSENCE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 8" CEILING MOUNT RAINCAN SHOWERHEAD‡

81375-BN 8" showerhead; RP48985BN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH $H_2OKINETIC^*$ TECHNOLOGY 81335-BN

4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P075-BN

(Rough sold separately)

Available as Tub/Shower and Shower Only

E. RAINCAN SHOWERHEAD WITH $\mathrm{H}_2\mathrm{OKINETIC}^{\otimes}$

TECHNOLOGY 87375-BN

 $5\,^3\mbox{/s"}$ showerhead; RP71648BN 16" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. SLIDE BAR HANDSHOWER WITH $\rm H_2OKINETIC^{\circledast}$

TECHNOLOGY 88775-BN

Bar: 22" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-BN; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION EURO SLIDE BAR HANDSHOWER

85521-BN; Bar: 35" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-BN

RP74751BN 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. ROMAN TUB WITH HANDSHOWER T67214-BN

Height: 7" Reach: $9^3/4$ " Max Flow: 12.28 gpm @ 60 psi

K. SINGLE-HANDLE FREESTANDING TUB FILLER T70175-BN

Height: 401/2" Reach: 87/6" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

L. HYDRACHOICE $^{\rm IM}$ SPRAY HEADS WITH H2OKINETIC $^{\rm IC}$ TECHNOLOGY $^{\rm IC}$ AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi

(Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BN; T84613-BN MASSAGING SPRAY HEAD SH84101-BN; T84613-BN INVIGORATING SPRAY HEAD SH84102-BN; T84613-BN

$\mathsf{M}.\mathsf{HYDRACHOICE}^{\mathsf{TM}}\,\mathsf{TOUCH\text{-}CLEAN}^{\scriptscriptstyle{\textcircled{\tiny{\$}}}}\,\mathsf{SPRAY}\,\mathsf{HEAD}^{\dagger}$

AND ROUND TRIM SH84103-BN; T84613-BN Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)


N. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-NK; Diameter: 11/4" Width From Wall: 23/4"
Available as 12"

































^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

SLIDE BAR HANDSHOWER WITH H₂OKINETIC* TECHNOLOGY 88775-PC

TOUCH-CLEAN® BODY SPRAYS 84110-PC

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

T66T075-PC

8" CEILING MOUNT RAINCAN SHOWERHEAD 81375-PC

10" Ceiling Mount Shower Arm and Flange RP48986PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

WALL MOUNT HANDSHOWER WITH H,OKINETIC® TECHNOLOGY 88875-PC

SENSORI® THERMOSTATIC VALVE TRIM

SENSORI® VOLUME CONTROL TRIM

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PC

Hydrachoice™ Max Round Trim T84613-PC

















CLASSIC. MODERN. MASTERFUL.

A move ahead.

Combining a contemporary, masculine edge with nods to early-1900s traditionalism, the Rook Bath Collection by Brizo[®] is an arresting, modern interpretation of a stately aesthetic. A variety of configurations and finishes make it as stunningly versatile as it is simply stunning, while technologies such as SmartTouch*Plus*™ mean it's uncommonly forward in its thinking. This is traditional, transformed.























A. SINGLE-HANDLE LAVATORY WITH SMARTTOUCHPLUS™ TECHNOLOGY† 65960LF-NKBL Max Height: 7 ¹/⁴" Reach: 6³½6" Max Flow: 1.5 gpm @ 60 psi Available without SmartTouchPlus™ Technology

B. WIDESPREAD LAVATORY WITH LEVER HANDLES† 65360LF-NKBLLHP; HL5360-NKBL Height: 411/1e" Reach: 53/4" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles Available with optional escutcheon

Available with optional escutcheon

C. SINGLE-HANDLE CHANNEL VESSEL LAVATORY† 65461LF-NKBL; Max Height: 133/4" Reach: 53/6" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

D. WIDESPREAD CHANNEL LAVATORY WITH CROSS HANDLES† 65361LF-NKBLLHP; HX5361-NKBL Height: 411/16" Reach: 53/4" Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles Available with optional Lavatory Handle Inserts

E. SINGLE-HANDLE CHANNEL LAVATORY* 65061LF-NKBL Max Height: 71/4" Reach: 57/16" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

F. UNIVERSAL TANK LEVER* 696361-NK

G. BIDET WITH LEVER HANDLES 68460-NKLHP; HL5360-NKBL Available with Cross Handles

- H. 18" TOWEL BAR 691861-NKBL Available as 24"
- I. 8" MINI TOWEL BAR 694761-NKBL
- J. DOUBLE ROBE HOOK 693561-NKBL
- K. DRAWER PULL 699161-NKBL
- L. DRAWER KNOB 699261-NKBL
- M. TISSUE HOLDER 695061-NKBL













[†] Available with 1.2 gpm max flow rate.

ROOK™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60461-NKBL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 11" CEILING MOUNT RAINCAN SHOWERHEAD* 83310-NK 11" showerhead; RP48985NK 6" arm

83310-NK 11" showerhead; RP48985NK 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM

T75661-NKBL (Rough sold separately)
Available as Integrated 3-Function Diverter Trim

D. 4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87461-NKBL

8" showerhead; RP78580NK 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. 9" RAINCAN SHOWERHEAD RP52090-NKBL

9" showerhead; RP78580NK 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

F. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY*† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)
SOOTHING SPRAY HEAD SH84100-NK; T84613-NK
MASSAGING SPRAY HEAD SH84101-NK; T84613-NK
INVIGORATING SPRAY HEAD SH84102-NK; T84613-NK

G. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD*† AND ROUND TRIM SH84103-NK; T84613-NK

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88761-NKBL

Bar: 263/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER

WITH H₂OKINETIC® TECHNOLOGY 88861-NKBL Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

J. TRADITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86200-NKBL RP62929NK 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

K. SINGLE-HANDLE FREESTANDING TUB FILLER

T70161-NKBL; Height: 38¹/₄" Reach: 9³/₄" Max Flow: 13 gpm @ 60 psi (Rough sold separately)

L. ROMAN TUB WITH CROSS HANDLES AND

HANDSHOWER T67461-NKBLLHP; HX661-NKBL Height: 7" Reach: 9 3/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles and Optional Lavatory Handle Inserts

Available without Handshower

M. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-NK; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 126.





D























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC **CUSTOM SHOWER SYSTEM**

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87461-NKBL; 7" Shower Arm and Flange RP78580NK

TEMPASSURE® THERMOSTATIC VALVE TRIM T60061-NKBL

6-FUNCTION DIVERTER TRIM T60961-NKBL

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88761-NKBL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH TOUCH-CLEAN® SPRAY HEAD* SH84103-NK

 $HydraChoice^{\!T\!M}\,Max\;Round\;Trim\;T84613\text{-}NK$

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H, OKINETIC® TECHNOLOGY 87461-PC; 7" Shower Arm and Flange RP78580PC

11" CELING MOUNT RAINCAN SHOWERHEAD 83310-PC 10" Shower Arm and Flange RP48986PC

MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88861-PC

SENSORI® THERMOSTATIC VALVE TRIM - CROSS T66T061-PC

SENSORI® VOLUME CONTROL TRIM - CROSS T66661-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD* SH84101-PC

 $HydraChoice^{\text{TM}} \ Max \ Round \ Trim \ T84613-PC$





APPEALING. ARRESTING. AUSPICIOUS.

A new vision of glamour.

A study in refined glamour, the RSVP Bath Collection by Brizo® combines stately curves and luxurious flourishes. With a full complement of accessories and lighting, including optional finials made with crystals from Swarovski®, RSVP adds new elegance to any bath.





















A. WIDESPREAD LAVATORY WITH LEVER HANDLES AND OPTIONAL BLUE GLASS FINIAL[†]

65390LF-PCLHP; HL5390-PC; RP48903PC Height: 8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles

Available with metal or optional Swarovski Crystal Finial

B. WALL MOUNT LAVATORY WITH CROSS HANDLES[†] 65890LF-PCLHP; HX5890-PC

Reach: 85/8" Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

C. WIDESPREAD VESSEL LAVATORY WITH

LEVER HANDLES† 65790LF-PCLHP; HL5790-PC Height: 127/8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles Available with optional Blue Glass or Swarovski Crystal Finial

D. BIDET WITH LEVER HANDLES

68490-PCLHP; HL5390-PC Available with Cross Handles

E. DOUBLE ROBE HOOK 69935-PC

F. WALL MIRROR 69980-PC Size: 23" x 36'

G. 24" DOUBLE TOWEL BAR 69925-PC

(accepts decorative finials)

H. SIDE MOUNT FLUSH LEVER 69962-PC Available as Front Mount

I. SINGLE LIGHT FIXTURE 69970-PC Height: 13"

J. 18" TOWEL BAR 69918-PC (accepts decorative finials) Available as 24"

K. TISSUE PAPER HOLDER 69950-PC

L, 8" MINI TOWEL BAR 69947-PC (accepts decorative finials)

M. OPTIONAL SWAROVSKI CRYSTAL FINIAL

(available for lavatory, roman tub & select accessories)

AVAILABLE FINISHES









(A)

RSVP® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60490-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. PRESSURE BALANCE TUB/SHOWER

T60P490-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD

RP48043PC 11"x 7" showerhead; RP48985PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. MULTI-FUNCTION WALL MOUNT SHOWERHEAD

RP48041PC 5^7 /s" x 3^7 /s" showerhead; RP48040PC 6^3 /s" arm; Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 89710-PC

Bar: 34" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

Max 1 low. 2.0 gpm @ 00 psi, 7.0 12 min @ 000 ki a

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-PC RP71649PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. RAINCAN SHOWERHEAD WITH $\rm H_2OKINETIC^{\circledast}$

TECHNOLOGY 87390-PC

51/4" showerhead; RP62603PC 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. HYDRACHOICE $^{\rm TM}$ SPRAY HEADS WITH $\rm H_2OKINETIC^{\rm B}$ TECHNOLOGY $^{\rm T}$ AND ROUND TRIM

Height: $3^{1}/2^{\prime\prime}$ Width: $3^{1}/2^{\prime\prime}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84613-PC
MASSAGING SPRAY HEAD SH84101-PC; T84613-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84613-PC

I. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PC; T84613-PC Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

J. ROMAN TUB WITH CROSS HANDLES AND

HANDSHOWER T67490-PCLHP; HX790-PC Height: 93/4" Reach: 93/4" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles and optional Blue Glass or Swarovski Crystal Finial

Available without Handshower

K. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4"

Available as 12"







金

С



















^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC **CUSTOM SHOWER SYSTEM**

SHOWN WITH:

MULTI-FUNCTION WALL MOUNT SHOWERHEAD RP48041BN; Wall Mount Shower Arm RP48040BN

SLIDE BAR HANDSHOWER 89710-BN

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60090-BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD RP48043PC 10" Ceiling Mount Shower Arm and Flange

MULTI-FUNCTION WALL MOUNT SHOWERHEAD RP48041PC Wall Mount Shower Arm RP48040PC

SENSORI® VOLUME CONTROL TRIM - LEVER T66690-PC

SENSORI® THERMOSTATIC VALVE TRIM - LEVER T66T090-PC

SLIDE BAR HANDSHOWER 89710-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PC

Hydrachoice™ Max Round Trim T84613-PC



SEAMLESS. DARING. DYNAMIC.

A study in contrast.

Combining geometric structure with natural inspiration, the Siderna Bath Collection by Brizo® represents the merging of two very different worlds. Its soft, flowing curves mimic the movement of cascading waterfalls, while its stark, crisp lines evoke modern sophistication.





















- A. WIDESPREAD LAVATORY WITH GREEN GLASS ACCENT HANDLES† 65380LF-PCLHP; HL5381-PC Height: 81/2" Reach: 6" Max Flow: 1.5 gpm @ 60 psi Available with All Metal and Solar Gray Glass Accent Handles
- B. SINGLE-HANDLE VESSEL LAVATORY† 65480LF-PC Height: $12^1/4''$ Reach: 5'' Max Flow: $1.5~\mathrm{gpm}$ @ $60~\mathrm{psi}$
- C. WALL MOUNT LAVATORY WITH SOLAR GRAY GLASS ACCENT HANDLES† 65880LF-PCLHP; HL5382-PC Reach: 8 3/8" Max Flow: 1.5 gpm @ 60 psl Available with All Metal and Green Glass Accent Handles
- D. ROBE HOOKS-PAIR 693580-PC
- E. BIDET WITH ALL METAL HANDLES 68480-PCLHP; HL5380-PC Available with Green Glass and Solar Gray Glass Accent Handles
- F. SINGLE-HANDLE LAVATORY 65080LF-PC Height: 83/16" Reach: 5" Flow: 1.5 gpm @ 60 psi
- G. TOWEL RING 694680-PC
- H. TISSUE HOLDER 695080-PC
- I. 18" TOWEL BAR 691880-PC Available as 24"
- J. FRONT MOUNT FLUSH LEVER 696080-PC Available as Side Mount







SIDERNA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60480-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi; (Rough sold separately)

Available as Shower Only and Valve Only

B. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD* 83341-PC 8 5/8"x 5 3/4" showerhead; RP70764PC 6" arm

83341-PC 8 % x 5 4 x showerhead; RP70764PC 6" ar Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. RECTANGULAR RAINCAN SHOWERHEAD

81380-PC 8^{5} /s"x 5^{3} /4" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. SQUARE RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87380-PC 53%" showerhead; RP74448PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P080-PC

(Rough sold separately)

F. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD† AND SQUARE TRIM SH84103-PC; T84913-PC

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

G. WALL MOUNT HANDSHOWER 85880-PC

Hose: 60"; Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. SLIDE BAR HANDSHOWER 85780-PC

Bar: 25" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO SQUARE HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY[‡] 86280-PC RP74448PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. HYDRACHOICE™ SPRAY HEADS WITH

 $\rm H_2OKINETIC^{\odot}$ TECHNOLOGY † AND SQUARE TRIM Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi

(Rough sold separately)
(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC
MASSAGING SPRAY HEAD SH84101-PC; T84913-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

K. ROMAN TUB WITH GREEN GLASS ACCENT HANDLES

AND HANDSHOWER T67480-PCLHP; HL681-PC Height: 93/4" Reach: 1015/16" Max Flow: 18.0 gpm @ 60 psi

(Rough sold separately)

Available with All Metal and Solar Gray Glass Accent Handles

Available without Handshower

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70180-PC; Height: 401/2" Reach: 95/16" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

M. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4" Available as 12"





Ε



捆

С






















^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC **CUSTOM SHOWER SYSTEM**

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BL 10" Shower Arm and Flange RP70765BL

SQUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87380-BL; 16" Shower Arm and Flange RP71650BL

SLIDE BAR HANDSHOWER 85780-BL

6-FUNCTION DIVERTER TRIM T60980-BL

TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-BL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-BL Hydrachoice™ Max Square Trim T84913-BL

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BN 6" Ceiling Mount Shower Arm and Flange

SQUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN Available as square Touch-Clean Body Sprays

SENSORI® VOLUME CONTROL TRIM

SENSORI® THERMOSTATIC VALVE TRIM



UNIQUE. STREAMLINED. SUBLIME.

A new kind of jet set.

Encapsulated in the silhouette of the striking Sotria Bath Collection by Brizo® is a myriad of influences: airplanes, automobile tail fins and the optimism of mid-century America. Its triangular spout architecture is echoed across a range of configurations and complimented by signature features, including closed and channel spout lavatory faucets, a freestanding tub filler, and a multi-function showerhead with exclusive H₂Okinetic® Technology.



- A. WIDESPREAD LAVATORY† 65350LF-BL Height: 513/32" Reach: 53/4' Max Flow: 1.5 gpm @ 60 psi
- B. WALL MOUNT CHANNEL LAVATORY[†] T65851LF-BL Reach: 87/16" Max Flow: 1.5 gpm @ 60 psi (Rough sold separately)
- C. SINGLE-HANDLE LAVATORY[†] 65050LF-BL Height: 55/8" Reach: 455/64 Max Flow: 1.5 gpm @ 60 psi
- D. SINGLE-HANDLE CHANNEL LAVATORY† 65051 LF-BL Height: 521/64" Reach: 519/32 Max Flow: 1.5 gpm @ 60 psi
- E. WIDESPREAD CHANNEL LAVATORY† 65351LF-BL Height: 521/64" Reach: 521/32 Max Flow: 1.5 gpm @ 60 psi
- F. BIDET 68450-BL
- G. 18" TOWEL BAR 691850-BL Available as 24"
- H. 8" MINI TOWEL BAR 694750-BL
- I. UNIVERSAL FLUSH LEVER 696050-BL
- J. TISSUE HOLDER 695050-BL
- K. DRAWER PULL 699150-BL
- L. DRAWER KNOB 699250-BL
- M. DOUBLE ROBE HOOK 693550-BL









SOTRIA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60450-BL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 5-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87450-BL

7" showerhead; RP75722BL arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

C. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81350-BL

103/8" showerhead; RP48985BL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L /min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P050-BL (Rough sold separately)

E. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-BL; T84613-BL Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

F. SLIDE BAR HANDSHOWER WITH

H₂OKINETIC® TECHNOLOGY 88750-BL Bar: 183/8" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH

H₂OKINETIC® TECHNOLOGY 88850-BL; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

H.EURO ROUND HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86275-BL RP74751BL 7" arm; Hose: 60" Max Flow: $2.5~\mathrm{gpm}$ @ $80~\mathrm{psi}$, $9.5~\mathrm{L/min}$ @ $550~\mathrm{kPa}$

I. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BL; T84613-BL MASSAGING SPRAY HEAD SH84101-BL; T84613-BL INVIGORATING SPRAY HEAD SH84102-BL; T84613-BL

J. SINGLE-HANDLE FREESTANDING TUB FILLER

T70150-BL; Height: 39" Reach: 1111/16" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

K. ROMAN TUB WITH HANDSHOWER T67450-BL

Height: 71/2" Reach: 93/8" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)


Available without Handshower

L. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-BL; Diameter: 11/4" Width From Wall: 23/4" Available as 12"





























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC **CUSTOM SHOWER SYSTEM**

SHOWN WITH:

5-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87450-BL; Wall Mount Shower Arm RP75722BL

SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88750-BL

6-FUNCTION DIVERTER TRIM T60950-BI

TEMPASSURE® THERMOSTATIC VALVE TRIM T60050-BL

TOUCH-CLEAN® BODY SPRAYS 84110-BL

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81350-PN 6" Ceiling Mount Shower Arm and Flange

5-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87450-PN; Wall Mount Shower Arm RP75722PN

WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88850-PN

SENSORI® VOLUME CONTROL TRIM T66650-PN

SENSORI® THERMOSTATIC VALVE TRIM T66T050-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH TOUCH-CLEAN® SPRAY HEAD SH84103-PN HydraChoice™ Max Round Trim T84613-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PN HydraChoice™ Max Round Trim T84613-PN









ELEGANT. MODERN. ENDURING.

Bridging past and present.

The Tresa Bath Collection by Brizo® reunites us with the past by taking design elements from the earliest of European fountains. A simple bend in the neck and traditional styling provide the classic feel of these graceful structures.























A. WIDESPREAD LAVATORY WITH LEVER HANDLEST

65336LF-PN; Height: 71/2" Reach: 7" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles

B. SINGLE-HANDLE LAVATORY† 65036LF-PN Max Height: $9^3/4''$ Reach: $6^3/4''$ Max Flow: 1.5 gpm @ 60 psi

C. SINGLE-HANDLE VESSEL LAVATORY† 65436LF-PN Max Height: $15^3/4''$ Reach: $6^3/4''$ Max Flow: 1.5 gpm @ 60 psi

D. 8" BRIDGE LAVATORY WITH CROSS HANDLES† 65538LF-PN; Height: 83/4" Reach: 7 Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

E. WALL MOUNT LAVATORY† 65836LF-PN Reach: 7" Max Flow: 1.5 gpm @ 60 psi

F. BIDET WITH CROSS HANDLES 6310-PNLHP; HK33(C/H)-PN Available with Lever Handles

G. TOWEL RING 69546-PN

H. DOUBLE ROBE HOOK 69535-PN

I. TISSUE HOLDER 69550-PN

J. FRONT MOUNT FLUSH LEVER 69561-PN Available as Side Mount

K. 24" DOUBLE TOWEL BAR 69525-PN

L. 18" TOWEL BAR 69518-PN Available as 24"

AVAILABLE FINISHES











TRESA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60410-PN; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. TRADITIONAL PRESSURE BALANCE TUB/SHOWER

T60P410-PN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-PN 11" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87305PN

9" showerhead; RP62929PN 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. MULTI-FUNCTION SLIDE BAR HANDSHOWER H₂OKINETIC® TECHNOLOGY 85710-PN

Bar: 231/4" Hose: 60" Max Flow: 2.0 gpm @ 80 psi

F. MULTI-FUNCTION WALL MOUNT HANDSHOWER 85810-PN; RP36004PN Wall Mount Elbow; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa G. WALL MOUNT HANDSHOWER RP41202PN

H. TRADITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86200-PN

RP36004PN Wall Mount Elbow: Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

RP62929PN 7" arm: Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

I. ROMAN TUB WITH LEVER HANDLES AND HANDSHOWER

T67436-PN; Height: 81/2" Reach: 9" Max Flow: 18.5 gpm @ 60 psi

(Rough sold separately) Available with Cross Handles

Available without Handshower

J. TWO-HANDLE DECK MOUNT FREESTANDING TUB FILLER WITH CROSS HANDLES

T70338-PN; T70210-PNLHP; RP73765PN Reach: 101/2" Max Flow: 12 gpm @ 60 psi

(Rough sold separately) Available with Lever Handles

Available as Floor Mount and Wall Mount

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PN; Diameter: 11/4" Width From Wall: 23/4" Available as 12"

L. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PN; T84613-PN Height: $3^{1}/2''$ Width: $3^{1}/2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

M. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: $3^{1}/2''$ Width: $3^{1}/2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-PN; T84613-PN MASSAGING SPRAY HEAD SH84101-PN; T84613-PN INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN
































Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC **CUSTOM SHOWER SYSTEM**

SHOWN WITH:

RAINCAN SHOWERHEAD

RP52090PC; 16" Shower Arm and Flange RP54168PC

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH $H_2OKINETIC^{\circledast}$ TECHNOLOGY 85710-PC

6-FUNCTION DIVERTER TRIM T60910-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD

Hydrachoice™ Max Round Trim T84613-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD 83310-PN

10" Ceiling Mount Shower Arm and Flange RP48986PN

RAINCAN SHOWERHEAD

RP52090PN; 16" Shower Arm and Flange RP54168PN

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH $H_2OKINETIC^\circledast$ TECHNOLOGY 85710-PN

SENSORI® THERMOSTATIC VALVE TRIM WITH CROSS HANDLE

SENSORI® VOLUME CONTROL TRIM WITH CROSS HANDLE

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PN

Hydrachoice™ Max Round Trim T84613-PN

View all Sensori Custom Shower components starting on page 132.









SOOTHING. LIVELY. LYRICAL.

Sound with vision.


In the Vesi Bath Collection by Brizo, you will find the channel spout configuration captures the appearance, sound and feel of a babbling brook while creating a unique sensory experience. The fluid design of the curve spout creates a startling contrast between the crisp lines of its base.

















- A. WIDESPREAD CHANNEL LAVATORY† 65345LF-BN Height: 41/4" Reach: 51/6" Max Flow: 1.5 gpm @ 60 psi
- B. WIDESPREAD CURVE LAVATORY† 65340LF-BN Height: 41/4" Reach: 51/4" Max Flow: 1.5 gpm @ 60 psi
- C. BIDET 6340-BN
- D. UNIVERSAL FLUSH LEVER 696340-BN
- E. DOUBLE ROBE HOOK 693540-BN
- F. DRAWER KNOB 699240-BN
- G. 24" TOWEL BAR 69824-BN Available as 18"
- H. TOWEL RING 69846-BN
- I. TISSUE HOLDER 69850-BN
- J. DRAWER PULL 699140-BN

AVAILABLE FINISHES









VESI® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60440-BN; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. VESI PRESSURE BALANCE TUB/SHOWER*

T60P440-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD‡

83341-BN 8" showerhead; RP70764BN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87340-BN

51/4" showerhead; RP71649BN 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

E. WALL MOUNT HANDSHOWER RP41202BN

RP36004BN Wall Mount Elbow; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC* TECHNOLOGY 86201-BN RP71649BN 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. MULTI-FUNCTION RAINCAN SHOWERHEAD

RP42431BN; 47/8" showerhead; RP71649BN 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

H. HYDRACHOICE $^{\rm TM}$ SPRAY HEADS WITH $\rm H_2OKINETIC^{\odot}$ TECHNOLOGY $^{\rm T}$ AND SQUARE TRIM

Height: $3^{1}/2^{\prime\prime}$ Width: $3^{1}/2^{\prime\prime}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right and top to bottom)
SOOTHING SPRAY HEAD SH84100-BN; T84913-BN
MASSAGING SPRAY HEAD SH84101-BN; T84913-BN
INVIGORATING SPRAY HEAD SH84102-BN: T84913-BN

I. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-BN; T84913-BN Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

J. CHANNEL ROMAN TUB WITH HANDSHOWER

T67745-BN; Height: 61/4" Reach: 9" Max Flow: 18.0 gpm @ 60 psi (Rough sold separately)

Available without Handshower

K. CURVE ROMAN TUB WITH HANDSHOWER T67740-BN

Height: 63/4" Reach: 91/2" Max Flow: 18.0 gpm @ 60 psi (Rough sold separately)

Available without Handshower

L. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-BN; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''



























TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87340-RB 7" Shower Arm And Flange RP71649RB

WALL MOUNT HANDSHOWER RP41202RB; Wall Mount Elbow RP36004RB

6-FUNCTION DIVERTER TRIM T60940-RB

TEMPASSURE® THERMOSTATIC VALVE TRIM T60040-RB

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-RB

Hydrachoice™ Max Square Trim T84913-RB

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

T66T040-BZ

T66640-BZ

MULTI-FUNCTION RAINCAN SHOWERHEAD RP42431BZ

7" Shower Arm and Flange RP71649BZ

WALL MOUNT HANDSHOWER

RP41202BZ; Wall Mount Elbow RP36004BZ

TOUCH-CLEAN® BODY SPRAYS 84110-BZ

Available as square Touch-Clean Body Sprays

SENSORI® THERMOSTATIC VALVE TRIM

SENSORI® VOLUME CONTROL TRIM

View all Sensori Custom Shower components starting on page 132.











DIFFERENT. SURPRISING. DRAMATIC.

A simple twist.

The twists and flourishes of Old World wrought iron find bold new expression in the Virage Bath Collection by Brizo. Combining modern sophistication with hints of art deco styling, Virage is a uniquely elegant form that adapts to almost any environment.























- A. WIDESPREAD LAVATORY† 65330LF-PC Height: 7²⁷/₃₂" Reach: 5⁹/₁₆" Max Flow: 1.5 gpm @ 60 psi
- B. WALL MOUNT LAVATORY† 65830LF-PC Reach: 81/2" Max Flow: 1.5 gpm @ 60 psi
- C. WIDESPREAD VESSEL LAVATORY† 65430LF-PC Height: 12 11/32" Reach: 5 9/16" Max Flow: 1.5 gpm @ 60 psi
- D. BIDET 68430-PC
- E. ROBE HOOK 693530-PC
- F. FRONT MOUNT FLUSH LEVER 696030-PC Available as Side Mount
- G. TISSUE HOLDER 695030-PC
- H. 18" TOWEL BAR 691830-PC Available as 24"
- I. WALL MIRROR 698030-PC Size: 20" x 30"
- J. TOWEL RING 694630-PC
- K. SINGLE LIGHT SCONCE 697030-PC Height: 107/8"

AVAILABLE FINISHES















VIRAGE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60430-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY‡ 81330-PC

8" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PC

6" showerhead; RP62603PC 51/2" arm

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. SLIDE BAR HANDSHOWER $\,$ 85730-PC $\,$

Bar: 24" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. WALL MOUNT HANDSHOWER 85830-PC

Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

7.5 B IIIII @ 000 KI Q

F. TRANSITIONAL HYDRATI* 2|1 SHOWER WITH H₂OKINETIC* TECHNOLOGY 86201-PC RP71649PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)
SOOTHING SPRAY HEAD

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC
MASSAGING SPRAY HEAD SH84101-PC; T84913-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

H. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

I. ROMAN TUB WITH HANDSHOWER T67430-PC

Height: 95/16" Reach: 827/32" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available without Handshower

J. SINGLE-HANDLE FREESTANDING TUB FILLER

T70130-PC; Height: 401½" Reach: 93½" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PC; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 126.



























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PC 5 ½" Shower Arm and Flange RP62603PC

SLIDE BAR HANDSHOWER 85730-PC

6-FUNCTION DIVERTER TRIM T60930-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60030-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PC

Hydrachoice™ Max Square Trim T84913-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PC

Hydrachoice™ Max Square Trim T84913-PC

View all TempAssure Thermostatic Custom Shower components starting on page 128.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81330-PN 6" Ceiling Mount Shower Arm and Flange

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PN Wall Mount Shower Arm RP62603PN

TOUCH-CLEAN® BODY SPRAYS 84110-PN

Available as square Touch-Clean Body Sprays

SENSORI® THERMOSTATIC VALVE TRIM T66T030-PN

SENSORI® VOLUME CONTROL TRIM

View all Sensori Custom Shower components starting on page 132.











PRESSURE BALANCE SHOWERS

A semi-customizable shower experience keeps simplicity in mind.

- Single-handle to turn water on/off and control temperature
- Single-function cartridge
- Max flow rate 7.4 gpm, 28.0 L/min*

VIEW PRESSURE BALANCE OPTIONS | PG 126

TEMPASSURE® THERMOSTATIC **SHOWERS**

More control means more possibilities with a semicustomizable thermostatic shower.

- Two handles for independent volume and temperature control
- Set desired water temperature once and return to it with every shower.
- Dual-function cartridge
- Max flow rate 8.6 gpm, 32.6 L/min*

VIEW TEMPASSURE OPTIONS | PG 128

SENSORI® SHOWERS

A completely customizable, completely indulgent shower experience.

- Separate volume controls for each component
- Max flow rate 12.0 gpm, 45.4 L/min*


VIEW SENSORI OPTIONS | PG 132




A better shower experience. While using less water.

By controlling water's shape, velocity and thermal dynamics, we've reinvented how you shower—creating a warmer, more luxurious spray that gives the feeling of a high-flow shower with a fraction of the water.

Available on Showerheads, Handshowers and Body Sprays.




This unique shower experience is created by harnessing the natural energy of water and directing it through hundreds of specially-engineered chambers in the showerhead.



Each channel is designed to create a vortex that oscillates water and sculpts it as it exits into a wave pattern that provides a dense, concentrated spray-to give the feeling of an indulgent shower, without wasting water.

H₂OKINETIC * **TECHNOLOGY** RESULTS IN:



LARGER DROPLET SIZE







Larger water droplets offer a more massaging shower.




A dense shower spray offers a more drenching blanket of water coverage.





THERMAL DYNAMICS Larger water drops and a dense spray pattern result in a warmer, more consistent shower experience.



CONSISTENT PRESSURE

While standard showerheads begin losing water pressure at 70 psi, H₂Okinetic showerheads maintain pressure up to 20 psi.

Choose your level of

Choosing a rough is the first step to getting the indulgent shower you are looking for. Use your desired experience and the Maximum Flow Rate Guide on the following page to determine the appropriate rough for your shower.



MultiChoice® Universal Rough

Once a MultiChoice® rough is installed, it is easy to upgrade the shower experience or update its style at any time, without having to go behind the wall. This means you can change your mind, change the style, or simply change it all.

(rough sold separately)



Pressure Balance Valve Trim

OR



3- or 6- Function Diverter Rough (rough sold separately)



3- or 6- Function Diverter Trim

Showerhead, Handshower, Body Sprays

Shower Components



MultiChoice® Universal Integrated Thermostatic Shower Diverter Rough

A sleek, streamlined option that provides the same flexibility as the MultiChoice® Universal Rough, but with the added convenience of not requiring a separate diverter.

(rough sold separately)



TempAssure®

Thermostatic Valve Trim

TempAssure® Thermostatic Valve with Diverter Trim Available as 3- or 6-Function

Showerhead, Handshower. **Body Sprays**

Shower Components



Sensori® Thermostatic Rough

A Sensori Thermostatic rough is key to our most luxurious shower for a completely customizable experience.

(rough sold separately)



Sensori® Thermostatic Valve Trim



Sensori® Volume Control Rough (rough sold separately)

Sensori® Volume Control Trim

Trim required for each component and set of body sprays

Showerhead, Handshower, **Body Sprays**

Shower Components

MAXIMUM FLOW RATE GUIDE

PRESSURE BALANCE CARTRIDGE				
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port	
R60000-UNBX	4.6 gpm, 17.4 L/min	5.8 gpm, 22.0 L/min	6.8 gpm, 25.7 L/min	
R60000-UNWS	4.5 gpm, 17.0 L/min	5.6 gpm, 21.2 L/min	6.5 gpm, 24.6 L/min	
R60000-UNBXHF (High Flow)	5.9 gpm, 22.3 L/min	7.4 gpm, 28.0 L/min	8.7 gpm, 33.0 L/min	
R60000-UNWSHF (High Flow)	5.3 gpm, 20.0 L/min	6.6 gpm, 25.0 L/min	7.7 gpm, 29.1 L/min	

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a separate 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

TEMPASSURE® THERMOSTATIC CARTRIDGE				
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port	
R60000-UNBX	5.6 gpm, 21.2 L/min	7.3 gpm, 27.6 L/min	8.5 gpm, 32.2 L/min	
R60000-UNWS	5.4 gpm, 20.4 L/min	6.7 gpm, 25.4 L/min	7.8 gpm, 29.5 L/min	
R60000-UNBXHF (High Flow)	7.0 gpm, 26.5 L/min	8.6 gpm, 32.6 L/min	9.9 gpm, 37.5 L/min	
R60000-UNWSHF (High Flow)	6.0 gpm, 22.7 L/min	7.4 gpm, 28.0 L/min	8.6 gpm, 32.6 L/min	

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow.

INTEGRATED TEMPASSURE® THERMOSTATIC CARTRIDGE					
MULTICHOICE® UNIVERSAL INTEGRATED SHOWER DIVERTER ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port		
R75000	5.9 gpm, 22.4 L/min	7.2 gpm, 27.3 L/min	8.3 gpm, 36.1 L/min		
R75000-WS	5.3 gpm, 20.0 L/min	6.5 gpm, 24.6 L/min	7.4 gpm, 28.1 L/min		


NOTES: Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

SENSORI® THERMOSTATIC CARTRIDGE					
SENSORI® ROUGHS	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port		
R66000-WS (Thermostatic Valve Rough Only)	9.5 gpm, 36.0 L/min	12.0 gpm, 45.4 L/min	13.4 gpm, 50.7 L/min		
R66000-WS (Thermostatic Valve Rough) & R35600 (Volume Control Rough)	7.5 gpm, 28.2 L/min	9.1 gpm, 34.6 L/min	10.5 gpm, 39.8 L/min		

NOTES: Volume controls are required for every outlet and every set of body sprays (up to 9.1 gpm @ 60 psi with R35600). Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

PRESSURE BALANCE SHOWERS

Even the "basics" are anything but. Pressure balance showers flow at one volume and have a single handle for temperature control. This system features a specially engineered valve that dynamically compensates for changes in water pressure to maintain a constant shower temperature within \pm 3.6° F (\pm 2° C).



AVAILABLE COLLECTION TRIMS



^{*} Must order as shower only or tub/shower package.



AVAILABLE COLLECTION TRIMS (cont'd)



Siderna® | PG 98

Complements Loki® collection



Traditional* | PG 106 Complements Baliza®, Charlotte®, Providence™, Rook™ and Tresa® collections




Sotria® | PG 102



Vesi^{®*} | PG 110 Complements Virage® collection

TEMPASSURE® THERMOSTATIC SHOWERS

A shower experience that is all about control. TempAssure Thermostatic showers have separate volume and temperature controls for a completely personal experience. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ}F$ ($\pm 2^{\circ}C$).



AVAILABLE COLLECTION TRIMS



Baliza® | PG 58



Charlotte® | PG 62



Litze™ | PG 66




Odin[™] | PG 74 Complements Quiessence® collection



Jason Wu ∣ PG 78 for Brizo[™]



 $\mathsf{Rook}^{\scriptscriptstyle\mathsf{TM}}$ | PG 90



AVAILABLE COLLECTION TRIMS (cont'd)



RSVP® | PG 94



Siderna® | PG 98 Complements Loki® collection



Sotria® | PG 102



Traditional | PG 106 Complements Providence™ and Tresa® collections




Vesi® | PG 110



Virage® | PG 114

TEMPASSURE® THERMOSTATIC SHOWERS + INTEGRATED DIVERTER

Combining temperature, volume and diverter control into one unit, the TempAssure Thermostatic Shower with Integrated Diverter simplifies and streamlines your custom shower design. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ} F~(\pm 2^{\circ} C)$.



AVAILABLE COLLECTION TRIMS



Litze™ | PG 66




Rook[™] | PG 90



SENSORI® SHOWERS

Limitless is an understatement with our completely customizable Sensori shower system. All Sensori showers allow for separate control of both temperature and volume, with independent volume controls to activate each component individually, while maintaining a consistent water temperature $\pm 3.6^{\circ}\text{F}~(\pm 2^{\circ}\text{C}).$



AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS

Baliza® | PG 58



Odin[™] | PG 74



Complements Quiessence® collection

Charlotte® | PG 62



Jason Wu for Brizo[™] | PG 78




Litze[™] | PG 66



Rook™ | PG 90





AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS (cont'd)

RSVP® | PG 94



Traditional | PG 106



Complements Providence $^{\text{\tiny{TM}}}$ and Tresa $^{\text{\tiny{\$}}}$ collections

Siderna® | PG 98



Complements Loki® collection

Vesi® | PG 110



Sotria® | PG 102



Virage® | PG 114



WALL MOUNT SHOWERHEADS

With a large selection of available styles, our wall mount showerheads are beautiful starting points—or finishing touches—for any bath.



AVAILABLE SHOWERHEADS



Baliza®† | PG 58 Complements Providence™ and Tresa® collections



Charlotte®t | PG 62



Jason Wu | PG 78 for Brizo™†



Litze^{™†} | PG 66



Odin^{™†} | PG 74 Complements Quiessence[®] and Sotria[®] collections



Rook^{™†} | PG 90



RSVP®† | PG 94



Siderna®† | PG 98 Complements Loki® collection



Sotria®† | PG 102



Traditional | PG 106 Complements Baliza®, Providence™, Rook™ and Tresa® collections



Vesi^{®†} | PG 110



Virage®+ | PG 114

CEILING MOUNT RAINCAN SHOWERHEADS

Ceiling mount raincan showerheads are a stylish centerpiece in any custom shower system and provide a superior shower experience.



AVAILABLE SHOWERHEADS



Charlotte® | PG 62



Jason Wu | PG 78 for Brizo™†



Odin^{™†} | PG 74 Complements Litze[™] and Quiessence[®] collections



Litze^{™†} | PG 66 Complements Odin[™] collection



RSVP® | PG 94



Siderna*† | PG 98 Complements Loki* collection



Sotria® | PG 102



Traditional[†] | PG 106 Complements Baliza[®], Providence[™], Rook[™] and Tresa[®] collections



Vesi®† | PG 110 Complements Loki® and Siderna® collections



Virage®+ | PG 114









HYDRATI® 2 1 SHOWERS



Hydrati 2|1 showers offer resounding proof that design, performance and flexibility aren't mutually exclusive. Featuring a showerhead design with an integrated handshower—seamlessly held in place using MagneDock® Technology—Hydrati 2|1 showers effortlessly adjust to a wide range of uses. And both the showerhead and handshower incorporate H₂Okinetic® Technology, for an immersive, indulgent experience while using

Traditional Round

86200

Available in PC, PN, NK, BN, BZ, RB, NKBL



Transitional Square

86201

Available in PC, PN, BN, BZ, RB, PNCO



Euro Round

86275

Available in PC, PN, NK, BN, GL, BL



Euro Square

86280

Available in PC, BN, BL



WATER EFFICIENT 2.0 GPM HYDRATI® 2|1 SHOWERS

Round

86220-ECO

Available in PC, PN, NK, GL, RB




Square


86280-ECO

Available in PC, BN, BL





A wall mount handshower emphasizes simplicity, providing a clean, minimal look.



HYDRACHOICE™ MAX BODY SPRAY SYSTEM

EXPERIENCE THE LUXURY OF A CUSTOM FIT.

Customization is a luxury that people have been chasing since the dawn of time. We like to put our stamp on things. And claim them as our own.

We also like the symmetry, comfort and pleasure that comes with the perfect fit. We tailor our pants, we hem our dresses, and we personalize everything from the shoes we wear to the mattresses we sleep on.

And now, with its clean lines and flush mount design, the HydraChoice Max Body Spray System has the power to customize your shower. The system also offers a choice of four interchangeable spray heads. Spray options include Invigorating, Massaging, and Soothing, all featuring H₂Okinetic® Technology, as well as a full spray option featuring Touch-Clean® nozzles.

With the HydraChoice Max Body Spray System, your shower transforms from being just another part of the morning routine, to a personal sanctuary, unique to only you.





The HydraChoice Max Body Spray System offers the clean lines of a flush mount design with maximum flexibility and functionality. The spray heads extend automatically when water is turned on and can be adjusted 50 degrees in any direction, allowing you to aim the water exactly where it's wanted. Must order HydraChoice Rough, HydraChoice Max round or square trim, and desired spray heads separately.



HYDRACHOICE™ SOOTHING SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**



HYDRACHOICE™ **INVIGORATING** SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**




HYDRACHOICE™ MASSAGING SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**




HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD




AVAILABLE FINISHES











or many, Bali is the closest thing that exists to paradise on earth. Travelers visit the island from around the world to lie on its tropical beaches, explore its soaring mountains, and savor its rich, diverse culture.

It was against this unsurpassed background that Jeffrey Wilkes, a renowned interior designer based out of Kuala Lumpur, Malaysia, was tasked with creating a luxurious experience for Mandapa, A Ritz-Carlton Reserve resort. And that started with emphasizing the natural beauty of the resort's surroundings.



THE BEAUTIFUL, GENTLE CURVE OF THE [VIRAGE*] FAUCET—THE WAY IT STARTS AS A SQUARE AND TWISTS ITS WAY UP—IT FELT LIKE THE BRANCHES OF THE TREES IN THE LANDSCAPE.

JEFFREY WILKES, DESIGNER







"The color of the earth really spoke to us," says Wilkes.
"That rich chocolaty color became part of the language we

were using throughout—and we wanted faucets and taps that would complement that."

Wilkes found his ideal choice in the Virage Bath Collection. He was instantly attracted by "the brushed bronze color, because it had a golden quality lying underneath."

The shape was equally appealing. "The beautiful, gentle curve of the faucet—the way it starts as a square and twists its way up—it felt like the branches of the trees in the landscape," he explains.

"And when you can bring those elements of nature to the interior, it enriches it."

The result of Jeffrey's vision speaks for itself. Mandapa, A Ritz-Carlton Reserve represents a new standard of luxurious beauty on an island already awash with world-class accommodations. Wilkes, however, is quick to deflect much of the credit.

"At the end of the day, nature is really the best designer," he says.

LUXURY DESIGN PROJECTS

A beautiful and functional kitchen. An indulgent spa-like retreat. Brizo® product designs cannot be defined by a single style. With collections ranging from contemporary to classic and everything in between, there's an aesthetic to inspire any space. See how Brizo products complement a room, create an eye-catching focal point, or define a mood.



ATELIER 216

Studio Zung | Ty Cole Photography | Amagansett, NY Bath Collection: Jason Wu for Brizo™ | Kitchen Collection: Solna®










CAVITT RANCH



TRAVIS HEIGHTS

Erin Williamson | Erin Williamson Photography | Austin, TX Bath Collection: Siderna $^{\tiny{\textcircled{\$}}}$



ARIA ON THE BAY

Mike Butler Photography | Miami, FL Kitchen Collection: Vuelo®



2016 DECORATOR'S SHOW HOUSE



LUMA CONDOMINIUM

Weber Thompson | Aaron Locke Photography | Seattle, WA Bath Collection: ${\rm Odin^{TM}}$





BRIZO.COM

BRIZO

BRIZO KITCHEN & BATH COMPANY 55 EAST 111TH STREET PO BOX 40980 INDIANAPOLIS, IN 46280 1 877 345 BRIZO (2749)

©2016 BRIZO KITCHEN & BATH COMPANY

BR-0612

